

2-4 HORSEPOWER

Non-Thru Hub Exhaust

2, 3.3 HP2000 & Newer 3-4 HP1952-73

● Hub is not included with propeller.

| ALUMINUM & STAINLESS STEEL PROPS | | | | | | |
|---|------|-------|------|-------|--------------|----------|
| Dia. | Rot. | Pitch | Bld# | Mat'l | OEM Part No. | Part No. |
| 6-1/8 | L | 4-1/2 | 3 | AL | 203919 | ● 012001 |



No Hub
See ●

5 HORSEPOWER

Non-Thru Hub Exhaust & Pin Drive

5 HP1965-68

● Hub is not included with propeller.

| ALUMINUM & STAINLESS STEEL PROPS | | | | | | |
|---|------|-------|------|-------|--------------|----------|
| Dia. | Rot. | Pitch | Bld# | Mat'l | OEM Part No. | Part No. |
| 8 | L | 7-1/2 | 3 | AL | 380104 | ● 012004 |



No Hub
See ●

5.5-6 HORSEPOWER

Non-Thru Hub Exhaust & Pin Drive

5.5-6 HP1954-65

● Hub is not included with propeller.

| ALUMINUM & STAINLESS STEEL PROPS | | | | | | |
|---|------|-------|------|-------|--------------|----------|
| Dia. | Rot. | Pitch | Bld# | Mat'l | OEM Part No. | Part No. |
| 7-3/4 | R | 6-1/2 | 3 | AL | | ● 012067 |
| 8 | R | 7-1/4 | 2 | AL | 376968 | ● 012060 |




No Hub
See ●

4-8 HORSEPOWER

Non-Thru Exhaust & Pin Drive

4 HP1980-83 4.5 HP Deluxe1986-95 6, 7.5, 8 HP1980 & Newer

| ALUMINUM & STAINLESS STEEL PROPS | | | | | | |
|---|------|-------|------|-------|--------------|----------|
| Dia. | Rot. | Pitch | Bld# | Mat'l | OEM Part No. | Part No. |
| 8-1/2 | R | 7 | 3 | AL | 391096 | ▶ 012031 |
| 8-1/2 | R | 9 | 3 | AL | 390237 | 012032 |



Rubber
Hub
Bushing

10 HORSEPOWER

Non-Thru Hub Exhaust & 13 Tooth Spline

10 HP1951-57

| ALUMINUM & STAINLESS STEEL PROPS | | | | | | |
|---|------|-------|------|-------|--------------|----------|
| Dia. | Rot. | Pitch | Bld# | Mat'l | OEM Part No. | Part No. |
| 9 | R | 8 | 3 | AL | 277595 | 012006 |



Rubber
Hub
Bushing

● Hub is not included with propeller. ▶ LIMITED INVENTORY ITEMS.

6-15 HORSEPOWER

Non-Thru Hub Exhaust & Pin Drive

6 HP1966-79 10 HP1958-63 8-15 HP2000 & Newer
 9.5 HP1964-73 10, 12, 14 HP ***1982-94



ALUMINUM & STAINLESS STEEL PROPS

| Dia. | Rot. | Pitch | Bld# | Mat'l | OEM Part No. | Part No. |
|-------|------|-------|------|-------|--------------|---------------|
| 7-3/4 | R | 6-1/2 | 3 | AL | | 012068 |
| 8-1/4 | R | 8 | 3 | AL | 387334 | 012008 |
| 8-1/4 | R | 9 | 3 | AL | 391534 | 012101 |
| 8 | R | 7-1/4 | 2 | AL | 376968 | 012005 |
| 8-1/4 | R | 8-1/2 | 3 | AL | 377635 | 012007 |



Rubber
Hub
Bushing

9.9-15 HORSEPOWER

Thru Hub Exhaust & 13 Tooth Spline

9.9-15 HP1974 & Newer 8, 9.9, 15 HP (4-Stroke)1995 & Newer



ALUMINUM & STAINLESS STEEL PROPS

| Dia. | Rot. | Pitch | Bld# | Mat'l | OEM Part No. | Part No. |
|-------|------|-------|------|-------|--------------|---------------|
| 10 | R | 5 | 3 | AL | 386669 | 012113 |
| 10 | R | 7 | 3 | AL | 398126 | 012112 |
| 9-1/2 | R | 10 | 3 | AL | 174950 | 012111 |



Rubber
Hub
Bushing

15-25 HORSEPOWER

Non-Thru Hub Exhaust & Pin Drive

15 HP1953-56 20 HP1969-73 25 HP1969-77
 18 HP1957-73



ALUMINUM & STAINLESS STEEL PROPS

| Dia. | Rot. | Pitch | Bld# | Mat'l | OEM Part No. | Part No. |
|-------|------|-------|------|-------|--------------|---------------|
| 9-1/4 | R | 7 | 3 | AL | 388294 | 012102 |
| 9 | R | 8 | 3 | AL | | 012014 |
| 9 | R | 9 | 3 | AL | 379717 | 012109 |
| 9 | R | 10 | 3 | AL | 592959 | 012076 |
| 9 | R | 10 | 3 | AL | 383629 | 012011 |
| 9-1/4 | R | 11 | 3 | AL | 388088 | 012013 |
| 9-1/4 | R | 12 | 3 | AL | | 012010 |



Rubber
Hub
Bushing

14-28 HORSEPOWER

Non-Thru Hub Exhaust & 13 Tooth Spline

14 HP1989 25 HP §1978-91 28 HP1986-96
 25 HP1978-84



ALUMINUM & STAINLESS STEEL PROPS

| Dia. | Rot. | Pitch | Bld# | Mat'l | OEM Part No. | Part No. |
|-------|------|-------|------|-------|--------------|------------------|
| 9 | R | 9 | 3 | AL | 389068 | 012021 |
| 9 | R | 9 | 3 | AL | | ▶★ 011030 |
| 9 | R | 10 | 3 | AL | 389069 | 012015 |
| 9 | R | 10 | 3 | AL | | ▶★ 011031 |
| 9-1/4 | R | 11 | 3 | AL | 388883 | 012016 |
| 9-1/4 | R | 12 | 3 | AL | 389944 | 012030 |



Rubber
Hub
Bushing

★ Indicates a cupped propeller.
 ▶ LIMITED INVENTORY ITEMS.

*** Engines offered in European Market only.

§ Commercial & Workhorse Applications.

25-30 HORSEPOWER (4-STROKE)

Thru Hub Exhaust & 10 Tooth Spline

25 HP (4-Stroke)2004 & Newer 30 HP (4-Stroke)2004 & Newer

| | | | |
|------------------------------|------|-------|---------------|
| VORTEX^{XHS™} | | | |
| 3-BLADE | | | |
| Dia. | Rot. | Pitch | Part No. |
| 10-1/2 | R | 9 | 992501 |
| 10-1/2 | R | 10 | 992502 |
| 10-1/2 | R | 11 | 992503 |
| 10-1/8 | R | 12 | 992504 |
| 10-1/8 | R | 13 | 992505 |
| 10-1/8 | R | 14 | 992506 |



992504
Vortex XHS™
Aluminum Propeller

Drop-In Hub

Use XHS™
Hub Kit
121

Refer to pages 42-43
for more details.

| | | | | | | |
|---|------|-------|------|-------|-----------------|------------------|
| MICHIGAN MATCH REPLACEMENT PROPELLERS | | | | | | |
| ALUMINUM & STAINLESS STEEL PROPS | | | | | | |
| Dia. | Rot. | Pitch | Bld# | Mat'l | OEM Part No. | Part No. |
| 10-1/4 | R | 11 | 3 | AL | 58100-96420-019 | 062012 |
| 10-1/4 | R | 11 | 3 | AL | | ▶★ 061006 |
| 10-1/4 | R | 12 | 3 | AL | 58100-96430-019 | 062013 |
| 10-1/4 | R | 13 | 3 | AL | 58100-96440-019 | 062014 |



062013

| | | | | |
|---|------|-------|------|---------------|
| BALLISTIC STAINLESS STEEL PROPS | | | | |
| Dia. | Rot. | Pitch | Bld# | Part No. |
| 10-1/8 | R | 13 | 3 | 305529 |
| 10-1/8 | R | 15 | 3 | 305530 |

**Rubber
Hub
Bushing**

20-35 HORSEPOWER

Thru Hub Exhaust & 14 Tooth Spline

20 HP 2 Cyl.1984-97 25 HP 2 & 3 Cyl.1984 & Newer *35 HP 2 & 3 Cyl.1976 & Newer
25 HP (Commercial)1993 & Newer 30 HP 2 Cyl.1984 & Newer * Vortex prop may interfere with skeg on some models.

| | | | |
|------------------------------|------|-------|---------------|
| VORTEX^{XHS™} | | | |
| 3-BLADE | | | |
| Dia. | Rot. | Pitch | Part No. |
| 10-1/2 | R | 9 | 992501 |
| 10-1/2 | R | 10 | 992502 |
| 10-1/2 | R | 11 | 992503 |
| 10-1/8 | R | 12 | 992504 |
| 10-1/8 | R | 13 | 992505 |
| 10-1/8 | R | 14 | 992506 |



992504
Vortex XHS™
Aluminum Propeller

Drop-In Hub

Use XHS™
Hub Kit
118

Refer to pages 42-43
for more details.

| | | | | | | |
|---|------|-------|------|-------|--------------|------------------|
| MICHIGAN MATCH REPLACEMENT PROPELLERS | | | | | | |
| ALUMINUM & STAINLESS STEEL PROPS | | | | | | |
| Dia. | Rot. | Pitch | Bld# | Mat'l | OEM Part No. | Part No. |
| 11-1/4 | R | 7 | 3 | AL | 387320 | ▶ 012053 |
| 11-1/4 | R | 7 | 3 | AL | | ▶★ 011032 |
| 11 | R | 9 | 3 | AL | 386317 | 012054 |
| 11 | R | 9 | 3 | AL | | ▶★ 011033 |
| 10-1/2 | R | 11 | 3 | AL | 175190 | 012055 |
| 10 | R | 13 | 3 | AL | 175191 | 012056 |
| 10 | R | 15 | 3 | AL | 390380 | 012057 |



012056

| | | | | |
|---|------|-------|------|---------------|
| BALLISTIC STAINLESS STEEL PROPS | | | | |
| Dia. | Rot. | Pitch | Bld# | Part No. |
| 10-1/8 | R | 13 | 3 | 305029 |
| 10-1/8 | R | 15 | 3 | 305030 |

**Rubber
Hub
Bushing**

★ Indicates a cupped propeller.

▶ LIMITED INVENTORY ITEMS.

25-40 HORSEPOWER
Non-Thru Hub Exhaust & Pin Drive

| | | |
|--------------------|--------------------|----------------------|
| 25 HP1951-55 | 33 HP1965-70 | 40 HP1960-76 |
| 28 HP1962-64 | 35 HP1957-59 | 40 HP §1978-85 |
| 30 HP1956 | | |

| MICHIGAN MATCH REPLACEMENT PROPELLERS | | | | | | |
|--|------|--------|------|-------|--------------|----------|
| ALUMINUM & STAINLESS STEEL PROPS | | | | | | |
| Dia. | Rot. | Pitch | Bld# | Mat'l | OEM Part No. | Part No. |
| 10-1/2 | R | 10 | 3 | AL | 376738 | 012027 |
| 10-3/8 | R | 11-1/2 | 3 | AL | 385955 | 012023 |
| 10-3/8 | R | 12-1/2 | 3 | AL | 378580 | 012022 |
| 10-1/2 | R | 12 | 3 | AL | 380637 | 012024 |
| 10-3/8 | R | 13-1/2 | 3 | AL | 378579 | 012025 |
| 10-1/2 | R | 13 | 3 | AL | 384460 | 012028 |
| 10-3/8 | R | 14 | 3 | AL | 378571 | 012026 |



012028

Rubber
Hub
Bushing

40-50 HORSEPOWER (4-STROKE)
Thru Hub Exhaust & 13 Tooth Spline

| | |
|------------------------------------|------------------------------------|
| 40 HP (4-Stroke)1999 & Newer | 50 HP (4-Stroke)1999 & Newer |
|------------------------------------|------------------------------------|


| VORTEX ^{XHS} HIGH PERFORMANCE ALUMINUM PROPELLERS | | | |
|--|------|---------|-------------|
| 3-BLADE | | 4-BLADE | |
| Dia. | Rot. | Pitch | Part No. |
| | | 12 | R 8 992401 |
| | | 12 | R 9 992402 |
| | | 12 | R 10 992403 |
| 10-3/8 | R | 11 | 992404 |
| 10-3/8 | R | 12 | 992405 |
| 10-3/8 | R | 13 | 992406 |
| 10-3/8 | R | 14 | 992407 |
| 10 | R | 15 | 992408 |
| 10 | R | 16 | 992409 |



992406

XHS Aluminum

| NEW APOLLO ^{XHS} ULTIMATE PERFORMANCE STAINLESS STEEL PROPELLERS | | | |
|---|------|-------|----------|
| STD 3-BLADE | | | |
| Dia. | Rot. | Pitch | Part No. |
| | | | |
| | | | |
| | | | |
| | | | |
| 10-3/4 | R | 12 | 993405 |
| 10-1/2 | R | 13 | 993406 |
| 10-3/8 | R | 14 | 993407 |
| 10-1/8 | R | 15 | 993408 |



NEW Apollo XHS
Stainless Steel

Drop-In Hub


Use XHS™
Hub Kit
115

Refer to pages 42-43
for more details.

| MICHIGAN MATCH REPLACEMENT PROPELLERS | | | | | | |
|--|------|-------|------|-------|--------------|-----------|
| ALUMINUM & STAINLESS STEEL PROPS | | | | | | |
| Dia. | Rot. | Pitch | Bld# | Mat'l | OEM Part No. | Part No. |
| 12-1/4 | R | 10 | 3 | AL | | 032045 |
| 12-1/4 | R | 10 | 3 | AL | | ▶★ 031072 |
| 12 | R | 11 | 3 | AL | | 032044 |
| 12 | R | 11 | 3 | AL | | ▶★ 031073 |
| 11-3/4 | R | 12 | 3 | AL | | 032043 |
| 11-1/2 | R | 13 | 3 | AL | | 032042 |
| 11-1/4 | R | 14 | 3 | AL | | 032041 |
| 11 | R | 15 | 3 | AL | | 032040 |
| 10-3/4 | R | 16 | 3 | AL | | 032039 |

| RAPTURE | | | |
|-----------------------|------|-------|----------|
| 3-BLD STAINLESS STEEL | | | |
| Dia. | Rot. | Pitch | Part No. |
| 10-1/2 | R | 10 | 033093 |
| | | | |
| | | | |
| | | | |
| 10-1/2 | R | 12 | 033094 |
| 10-1/2 | R | 13 | 033095 |
| 10-1/2 | R | 14 | 033096 |
| 10-1/2 | R | 15 | 033097 |

| BALLISTIC [™] STAINLESS STEEL PROPS | | | | |
|---|------|-------|------|----------|
| Dia. | Rot. | Pitch | Bld# | Part No. |
| | | | | |
| | | | | |
| | | | | |
| 10-1/8 | R | 13 | 3 | 395929 |
| 10-1/8 | R | 15 | 3 | 395930 |



032042

Rubber
Hub
Bushing

§ Commercial & Workhorse Applications. ★ Indicates a cupped propeller. ▶ LIMITED INVENTORY ITEMS.

40-75 HORSEPOWER • SMALL GEARCASE

Thru Hub Exhaust & 13 Tooth Spline

40 HP 2 Cyl.1984 & Newer
 48 HP1987-96
 50 HP 2 Cyl.1975 & Newer

60 HP 2 Cyl.1980-85
 75 HP 3 Cyl.1975-85

Sprint1986-92
 Formula E1986-92

| 3-BLADE | | | | 4-BLADE | | | |
|---------|------|-------|----------|---------|------|-------|----------|
| Dia. | Rot. | Pitch | Part No. | Dia. | Rot. | Pitch | Part No. |
| | | | | 12 | R | 8 | 992401 |
| | | | | 12 | R | 9 | 992402 |
| | | | | 12 | R | 10 | 992403 |
| 11-3/4 | R | 13 | 992301 | | | | |
| 11-3/4 | R | 15 | 992302 | | | | |
| 11-3/4 | R | 17 | 992303 | | | | |



HIGH PERFORMANCE ALUMINUM PROPELLERS



992301

Vortex XHS™ Aluminum Propeller



992402

Vortex XHS™ Aluminum Propeller

Drop-In Hub

Use XHS™ Hub Kit 111

Refer to pages 42-43 for more details.

| ALUMINUM & STAINLESS STEEL PROPS | | | | | | |
|----------------------------------|------|-------|------|-------|--------------|----------|
| Dia. | Rot. | Pitch | Bld# | Mat'l | OEM Part No. | Part No. |
| 13 | R | 11 | 3 | AL | 386907 | 012036 |
| 13 | R | 11 | 3 | AL | | ★ 011034 |
| 12-1/2 | R | 13 | 3 | AL | 386909 | 012037 |
| 12-1/2 | R | 13 | 3 | AL | | ★ 011035 |
| 12-1/2 | R | 13 | 3 | SS | 390849 | ▶ 013024 |
| 12-1/4 | R | 15 | 3 | AL | 386786 | ▶ 012038 |
| 12-1/4 | R | 15 | 3 | AL | 176421 | ★ 011027 |
| 12-1/4 | R | 15 | 3 | SS | 390850 | ▶ 013010 |
| 11-3/4 | R | 17 | 3 | AL | 386841 | ▶ 012039 |
| 11-3/4 | R | 17 | 3 | AL | 176422 | ★ 011028 |
| 11-3/4 | R | 17 | 3 | SS | 390851 | ▶ 013026 |
| 11 | R | 19 | 3 | AL | 176423 | ★ 011029 |
| 11-1/4 | R | 19 | 3 | SS | 390852 | ▶ 013032 |
| 11-1/2 | R | 19 | 3 | AL | 386908 | ▶ 012040 |



011027



Rapture Stainless Steel



| BALLISTIC | | | | |
|-----------|------|-------|------|----------|
| Dia. | Rot. | Pitch | Bld# | Part No. |
| | | | | |
| | | | | |
| | | | | |
| 12-3/8 | R | 15 | 3 | 325030 |
| 12 | R | 17 | 3 | 325031 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Rubber Hub Bushing

★ Indicates a cupped propeller.

▶ LIMITED INVENTORY ITEMS.



45-75 HORSEPOWER • LARGE GEARCASE

Thru Hub Exhaust & 13 Tooth Spline

40 HP (E-TEC)2004 & Newer
 45 HP 2 Cyl. Commercial1986 & Newer
 50 HP (E-TEC)2004 & Newer
 50 HP 2 Cyl. Commercial1977-79
 55 HP 2 Cyl. Commercial1980 & Newer
 65 HP 3 Cyl. Commercial1984 & Newer

50 HP 2 Cyl. Pleasure1971-74
 50 HP 3 Cyl. Pleasure1994 & Newer
 55 HP 3 Cyl. Pleasure1968-69
 60 HP 3 Cyl. Pleasure1970-71,1986 & Newer
 60 HP (E-TEC)2004 & Newer
 65 HP 3 Cyl. Pleasure1972-73

70 HP 3 Cyl. Pleasure1974 & Newer
 75 HP 3 Cyl. Pleasure1975-84
 75 HP (E-TEC)2004 & Newer
 60 HP (4-Stroke) +1998 & Newer
 70 HP (4-Stroke) +1998 & Newer

| 3-BLADE | | | |
|---------|------|-------|---------------|
| Dia. | Rot. | Pitch | Part No. |
| 13-3/4 | R | 15 | 992103 |
| 13-1/4 | R | 17 | 992104 |
| 13 | R | 19 | 992105 |
| 12-3/4 | R | 21 | 992106 |



Vortex XHS™ Aluminum Propeller

| 3-BLADE | | | | STD 3-BLADE | | | |
|---------|------|-------|----------|-------------|------|-------|-----------------|
| Dia. | Rot. | Pitch | Part No. | Dia. | Rot. | Pitch | Part No. |
| | | | | 13-3/8 | R | 15 | 993143 |
| | | | | 13-3/8 | L | 15 | 993153 |
| | | | | 13-1/4 | R | 17 | 993144 |
| | | | | 13-1/4 | L | 17 | 993154 |
| | | | | 13-1/4 | R | 19 | ▶ 993105 |
| | | | | 13-1/8 | R | 19 | 993145 |
| | | | | 13-1/8 | L | 19 | 993155 |
| | | | | 13-1/4 | R | 21 | ▶ 993106 |
| | | | | 13 | R | 21 | 993146 |
| | | | | 13 | L | 21 | 993156 |




NEW Apollo XHS Stainless Steel

Drop-In Hub
 Use XHS™ Hub Kit **106 & 110**

Note: For 60 HP & 70 HP 4-Stroke engine applications, 1998 & Newer, use XHS (Drop-In Hub) Kit # 110. For all other engine applications, use XHS™ (Drop-In Hub) Kit # 106 (do not use Gearcase Adapter Ring supplied with propeller).

Refer to pages 42-43 for more details.

| MICHIGAN MATCH | | | | | | |
|----------------------------------|------|-------|------|-------|--------------|-----------------|
| ALUMINUM & STAINLESS STEEL PROPS | | | | | | |
| Dia. | Rot. | Pitch | Bld# | Mat'l | OEM Part No. | Part No. |
| 14 | R | 10 | 4 | AL | | 012074 |
| 14 | R | 10 | 4 | AL | | ▶ 011036 |
| 14 | R | 11 | 3 | AL | 382761 | 012047 |
| 14 | R | 11 | 3 | AL | | ▶ 011038 |
| 14 | R | 12 | 4 | AL | | 012075 |
| 14 | R | 13 | 3 | AL | 391668 | * 011001 |
| 13-3/4 | R | 15 | 3 | AL | 391198 | * 011002 |
| 13-3/4 | R | 15 | 3 | SS | 389949 | ▶ 013028 |
| 13-1/4 | R | 17 | 3 | AL | 391199 | * 011003 |
| 13-3/8 | R | 17 | 3 | SS | 389948 | ▶ 013030 |
| 14 | R | 17 | 3 | AL | 176214 | * 011024 |
| 13 | R | 19 | 3 | AL | 390896 | * 011004 |
| 13 | R | 19 | 3 | SS | 389510 | ▶ 013033 |
| 14 | R | 19 | 3 | AL | 176215 | * 011025 |
| 12-3/4 | R | 21 | 3 | AL | 389788 | * 011005 |
| 12-3/4 | R | 21 | 3 | SS | 389512 | ▶ 013034 |
| 14 | R | 21 | 3 | AL | 176216 | * 011026 |



011004



Ballistic™ High Performance Stainless Steel Propeller

| BALLISTIC | | | |
|-----------|------|-------|---------------|
| Dia. | Rot. | Pitch | Part No. |
| 13-5/8 | R | 15 | 335030 |
| 12-1/2 | R | 17 | 335031 |
| 13-3/8 | R | 19 | 335032 |
| 13-1/8 | R | 21 | 335033 |

Rubber Hub Bushing

60-90 HORSEPOWER

Non-Thru Hub Exhaust & Pin Drive

V-4 HP 60, 65, 75, 80, 85, 901960-68

| MICHIGAN MATCH | | | | | | |
|----------------------------------|------|-------|------|-------|--------------|-----------------|
| ALUMINUM & STAINLESS STEEL PROPS | | | | | | |
| Dia. | Rot. | Pitch | Bld# | Mat'l | OEM Part No. | Part No. |
| 10-1/8 | R | 11 | 3 | AL | 377978 | ▶ 012044 |
| 10 | R | 12 | 3 | AL | 378039 | ▶ 012045 |



012043

Rubber Hub Bushing

★ Indicates a cupped propeller. ▶ LIMITED INVENTORY ITEMS
 * If currently using uncupped propeller, use cupped propeller having 2" less pitch. Boats with power trim use same pitch.

100 HORSEPOWER
Non-Thru Hub Exhaust & Pin Drive

100 HP1966-68



ALUMINUM & STAINLESS STEEL PROPS

| Dia. | Rot. | Pitch | Bld# | Mat'l | OEM Part No. | Part No. |
|------|------|-------|------|-------|--------------|---------------|
| 14 | R | 12 | 3 | AL | 382017 | 012090 |



012090

Rubber
Hub
Bushing

85-140 HORSEPOWER • V-4 GEARCASE
Thru Hub Exhaust & 13 Tooth Spline


| | | |
|---|----------------------------------|----------------------------------|
| 85 HP1969-80, 1991-95 | 110 HP1986-89 | 125 HP1971-72 |
| 88 HP1981-1996 | 112 HP1994-96 | 130 HP (E-TEC)2004 & Newer |
| 90 HP1981 & Newer | 115 HP1973 & Newer | 135 HP1973-76 |
| 90 HP (E-TEC) Std. Length2004 & Newer | 115 HP (E-TEC)2004 & Newer | 140 HP1977-94 |
| 100 HP1979-80, 1988-93 | 120 HP1986-94 | |



| 3-BLADE | | | | 3-BLADE | | | | STD 3-BLADE | | | |
|---------|------|-------|---------------|---------|------|-------|-----------------|-------------|------|-------|---------------|
| Dia. | Rot. | Pitch | Part No. | Dia. | Rot. | Pitch | Part No. | Dia. | Rot. | Pitch | Part No. |
| 13-3/4 | R | 15 | 992103 | | | | | 13-3/8 | R | 15 | 993143 |
| | | | | | | | | 13-3/8 | L | 15 | 993153 |
| 13-1/4 | R | 17 | 992104 | | | | | 13-1/4 | R | 17 | 993144 |
| | | | | | | | | 13-1/4 | L | 17 | 993154 |
| 13 | R | 19 | 992105 | | | | | 13-1/8 | R | 19 | 993145 |
| | | | | | | | | 13-1/8 | L | 19 | 993155 |
| 12-3/4 | R | 21 | 992106 | 13-1/4 | R | 19 | ▶ 993105 | 13 | R | 21 | 993146 |
| | | | | 13-1/4 | R | 21 | ▶ 993106 | 13 | L | 21 | 993156 |



Vortex XHS™
Aluminum Propeller



NEW Apollo XHS
Stainless Steel

Drop-In Hub

Use XHS™
Hub Kit
106

Do NOT use Gearcase
Adapter Ring supplied
with propeller.

Refer to pages 42-43
for more details.




ALUMINUM & STAINLESS STEEL PROPS

| Dia. | Rot. | Pitch | Bld# | Mat'l | OEM Part No. | Part No. |
|--------|------|-------|------|-------|--------------|------------------|
| 14 | R | 10 | 4 | AL | | 012074 |
| 14 | R | 10 | 4 | AL | | ▶★ 011036 |
| 14 | R | 11 | 3 | AL | 382761 | 012047 |
| 14 | R | 11 | 3 | AL | | ★ 011038 |
| 14 | R | 12 | 4 | AL | | 012075 |
| 14 | R | 12 | 4 | AL | | ▶★ 011037 |
| 14 | R | 13 | 3 | AL | 391668 | 011001 |
| 13-3/4 | R | 15 | 3 | AL | 391198 | 011002 |
| 13-1/4 | R | 17 | 3 | AL | 391199 | 011003 |
| 13-3/8 | R | 17 | 3 | SS | 389948 | ▶ 013030 |
| 14 | R | 17 | 3 | AL | 176214 | 011024 |
| 13 | R | 19 | 3 | AL | 390896 | 011004 |
| 14 | R | 19 | 3 | AL | 176215 | 011025 |
| 12-3/4 | R | 21 | 3 | AL | 389788 | 011005 |
| 12-3/4 | R | 21 | 3 | SS | 389512 | 013034 |
| 14 | R | 21 | 3 | AL | 176216 | 011026 |



011004



Ballistic™
High Performance
Stainless Steel Propeller



| BALLISTIC | | | | | BALLISTIC XL | | | | |
|-----------|------|-------|------|---------------|--------------|------|-------|------|---------------|
| Dia. | Rot. | Pitch | Bld# | Part No. | Dia. | Rot. | Pitch | Bld# | Part No. |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 13-5/8 | R | 15 | 3 | 335030 | | | | | |
| 12-1/2 | R | 17 | 3 | 335031 | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 13-3/8 | R | 19 | 3 | 335032 | | | | | |
| | | | | | | | | | |
| 13-1/8 | R | 21 | 3 | 335033 | 13-1/2 | R | 22 | 3 | 335034 |
| | | | | | 13-1/2 | R | 24 | 3 | 335035 |






Rubber
Hub
Bushing

★ Indicates a cupped propeller.




▶ LIMITED INVENTORY ITEMS

90, 115 & 140 HORSEPOWER (4-STROKE)

90 HP (4-Stroke)2003 & Newer 115 HP (4-Stroke)2003 & Newer 140 HP (4-Stroke)2003 & Newer

| | | | | | | |
|---|-----------------------------------|---|--|--|--|--|
|  HIGH PERFORMANCE ALUMINUM PROPELLERS | |  |  | ULTIMATE PERFORMANCE STAINLESS STEEL PROPELLERS | | Drop-In Hub Use XHS™ Hub Kit 125 & 126 Use Gearcase Adapter Ring supplied with propeller. Refer to pages 42-43 for more details. |
| 3-BLADE | | 3-BLADE | STD 3-BLADE | |  NEW Apollo XHS Stainless Steel | |
| Dia. Rot. Pitch Part No. | Dia. Rot. Pitch Part No. | Dia. Rot. Pitch Part No. | | | | |
| 13-3/4 R 15 992103 | | 13-3/8 R 15 993143 | | | | |
| 13-1/4 R 17 992104 | | 13-3/8 L 15 993153 | | | | |
| 13 R 19 992105 | | 13-1/4 R 17 993144 | | | | |
| 12-3/4 R 21 992106 | | 13-1/4 L 17 993154 | | | | |
|  Rapture XHS™ Stainless Steel Propeller | | 13-1/4 R 19 ▶ 993105 | 13-1/8 R 19 993145 | | | |
| | | 13-1/4 R 21 ▶ 993106 | 13-1/8 L 19 993155 | | | |
| | | | 13 R 21 993146 | | | |
| | | | 13 L 21 993156 | | | |

Note: For 90 & 115 HP 4-Stroke applications use XHS™ (Drop-in Hub) Kit # 125. For 140 HP 4-Stroke applications use XHS™ (Drop-in Hub) Kit # 126. Use Gearcase Adapter Ring supplied with propeller.

| | | | | | | | | | | | | | |
|---|--|--|---|--|--|---|---|--|--|---------------------|--|--|---------------------------|
|  | | | | | | |  101033 |  | | | | | Rubber Hub Bushing |
| ALUMINUM & STAINLESS STEEL PROPS | | | | | | | | BALLISTIC | | BALLISTIC XL | | | |
| Dia. Rot. Pitch Bld# Mat'l OEM Part No. Part No. | | | Dia. Rot. Pitch Bld# Part No. | | | Dia. Rot. Pitch Bld# Part No. | | | | | | | |
| 14 R 11 3 AL 101036 | | | | | | | | | | | | | |
| 13-5/8 R 13 3 AL 101031 | | | | | | | | | | | | | |
| 13-1/2 R 15 3 AL 101032 | | | | | | 13-5/8 R 15 3 335930 | | | | | | | |
| 13-3/4 R 15 3 SS ▶ 103025 | | | | | | | | | | | | | |
| 13-1/4 R 17 3 AL 58100-90J00-019 101033 | | | | | | 13-1/2 R 17 3 335931 | | | | | | | |
| 13-1/4 R 17 3 SS ▶ 103026 | | | | | | | | | | | | | |
| 13 R 19 3 AL 58100-90J10-019 101034 | | | | | | 13-3/8 R 19 3 335932 | | | | | | | |
| 13 R 19 3 SS ▶ 103027 | | | | | | | | | | | | | |
| 12-5/8 R 21 3 AL 58100-90J20-019 101035 | | | | | | 13-1/8 R 21 3 335933 | | 13-1/2 R 22 3 335934 | | | | | |
| | | | | | | | | 13-1/2 R 24 3 335935 | | | | | |

▶ LIMITED INVENTORY ITEMS



90-300 HORSEPOWER • V-6 GEARCASE (1991 & NEWER)

Thru Hub Exhaust & 15 Tooth Spline

| | | |
|--|-------------------------------------|---|
| 90 HP1995 & Newer | 150 HP Commercial1993 & Newer | 235 HP1978-85 |
| 90 HP (E-TEC) Extra Long2004 & Newer | 150 HP1978 & Newer | 250 HP1991 & Newer |
| 100 HP Commercial1984 & Newer | 155 HP Commercial1978 & Newer | 275 HP1986-88 |
| 115 HP1995 & Newer | 175 HP1977 & Newer | 300 HP1986-95 |
| 120-140 HP1985 | 185 HP1984-85 | 2.6 Liter1984-85 |
| 130 HP1995 & Newer | 200 HP1976 & Newer | 3.6 Liter1986-87 |
| 140 (25") HP1989-94 | 225 HP1986 & Newer | * For engines 300 HP or higher, use "high horsepower sleeve". |


See Page 42 for more details.

| VORTEX ^{XHS} HIGH PERFORMANCE ALUMINUM PROPELLERS | | | | CAPTURE ^{XHS} | | | | APOLLO ^{LOW} ULTIMATE PERFORMANCE STAINLESS STEEL PROPELLERS | | | | | | | | | | | | | | | | | | | | | | | |
|--|------|-------|----------|------------------------|------|-------|----------|---|------|-------|----------|-------------|------|-------|----------|----------------------|------|-------|----------|---------|------|-------|----------|------|------|-------|----------|--|--|--|--|
| 3-BLADE | | | | 4-BLADE | | | | 3-BLADE | | | | STD 3-BLADE | | | | LG. DIAMETER 3-BLADE | | | | 4-BLADE | | | | | | | | | | | |
| Dia. | Rot. | Pitch | Part No. | Dia. | Rot. | Pitch | Part No. | Dia. | Rot. | Pitch | Part No. | Dia. | Rot. | Pitch | Part No. | Dia. | Rot. | Pitch | Part No. | Dia. | Rot. | Pitch | Part No. | Dia. | Rot. | Pitch | Part No. | | | | |
| 15-1/4 | R | 15 | 992002 | | | | | 14-1/4 | R | 15 | 993002 | 14-3/8 | R | 15 | 993042 | 15-3/4 | R | 15 | 993022 | | | | | | | | | | | | |
| | | | | | | | | 14-1/4 | L | 15 | 993012 | 14-3/8 | L | 15 | 993052 | 15-3/4 | L | 15 | 993032 | | | | | | | | | | | | |
| 15 | R | 17 | 992003 | 15 | R | 16 | 992202 | 14-1/4 | R | 17 | 993003 | 14-1/4 | R | 17 | 993043 | 15-1/2 | R | 17 | 993023 | 14-5/8 | R | 16 | 993203 | | | | | | | | |
| | | | | | | | | 14-1/4 | L | 17 | 993013 | 14-1/4 | L | 17 | 993053 | 15-1/2 | L | 17 | 993033 | 14-5/8 | L | 16 | 993213 | | | | | | | | |
| 14-1/2 | R | 19 | 992004 | 14-1/2 | R | 18 | 992203 | 14-1/4 | R | 19 | 993004 | 14-1/8 | R | 19 | 993044 | 15-1/4 | R | 19 | 993024 | 14-3/8 | R | 18 | 993204 | | | | | | | | |
| | | | | | | | | 14-1/4 | L | 19 | 993014 | 14-1/8 | L | 19 | 993054 | 15-1/4 | L | 19 | 993034 | 14-3/8 | L | 18 | 993214 | | | | | | | | |
| 14-1/4 | R | 21 | 992005 | 14 | R | 20 | 992204 | 14-1/4 | R | 21 | 993005 | 14 | R | 21 | 993045 | 14-3/4 | R | 21 | 993025 | 14-1/8 | R | 20 | 993205 | | | | | | | | |
| | | | | | | | | 14-1/4 | L | 21 | 993015 | 14 | L | 21 | 993055 | 14-3/4 | L | 21 | 993035 | 14-1/8 | L | 20 | 993215 | | | | | | | | |
| 14 | R | 23 | 992006 | | | | | 14-1/4 | R | 23 | 993006 | 13-7/8 | R | 23 | 993046 | 14-5/8 | R | 23 | 993026 | 14 | R | 22 | 993206 | | | | | | | | |
| | | | | | | | | 14-1/4 | L | 23 | 993016 | 13-7/8 | L | 23 | 993056 | 14-5/8 | L | 23 | 993036 | 14 | R | 22 | 993216 | | | | | | | | |
| | | | | | | | | 14-1/4 | R | 25 | 993007 | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | 14-1/4 | L | 25 | 993017 | | | | | | | | | | | | | | | | | | | | |

Drop-In Hub
Use XHS™ Hub Kit **100 & 101**
Refer to pages 42-43 for more details.

Note: For engine applications 1976-1990 use XHS™ (Drop-In Hub) Kit # 101. For engine applications 1991 & Newer, use XHS™ (Drop-In Hub) Kit # 100. Refer to pages 42-43 for more details.

| MICHIGAN MATCH REPLACEMENT PROPELLERS | | | | | | |
|---------------------------------------|------|-------|------|-------|--------------|----------|
| ALUMINUM & STAINLESS STEEL PROPS | | | | | | |
| Dia. | Rot. | Pitch | Bld# | Mat'l | OEM Part No. | Part No. |
| 15-1/2 | R | 10 | 3 | AL | | 011015 |
| 15-1/2 | R | 13 | 3 | AL | 391536 | 011016 |
| 15-1/2 | R | 15 | 3 | AL | 391535 | 011006 |
| 15 | L | 15 | 3 | SS | 174927 | 013051 |
| 15 | R | 17 | 3 | AL | 391200 | 011007 |
| 15 | R | 17 | 3 | SS | 391290 | 013044 |
| 14-1/2 | R | 19 | 3 | AL | 391201 | 011008 |
| 14-1/2 | L | 19 | 3 | SS | 390821 | 013045 |
| 14-1/4 | R | 21 | 3 | AL | 391202 | 011009 |
| 14-1/4 | L | 21 | 3 | SS | 390822 | 013047 |
| 14-1/4 | R | 23 | 3 | AL | 391203 | 011010 |
| 14-1/4 | R | 23 | 3 | SS | 389019 | 013050 |
| High Performance 4-Blade Propellers | | | | | | |
| 13-3/4 | R | 22 | 4 | SS | | 013036 |
| 13-3/4 | R | 24 | 4 | SS | | 013038 |



| BALLISTIC™ STAINLESS STEEL PROPS | | | | | | | | | |
|----------------------------------|------|-------|------|--------------|--------|------|-------|------|----------|
| BALLISTIC | | | | BALLISTIC XL | | | | | |
| Dia. | Rot. | Pitch | Bld# | Part No. | Dia. | Rot. | Pitch | Bld# | Part No. |
| 14-7/8 | R | 15 | 3 | 345031 | | | | | |
| 14-3/4 | R | 17 | 3 | 345032 | | | | | |
| 14-3/4 | L | 17 | 3 | 345062 | | | | | |
| 14-1/2 | R | 19 | 3 | 345033 | | | | | |
| 14-1/2 | L | 19 | 3 | 345063 | | | | | |
| 14-3/8 | R | 21 | 3 | 345034 | 14-1/2 | R | 22 | 3 | 345041 |
| 14-3/8 | L | 21 | 3 | 345064 | | | | | |
| 14-1/4 | R | 23 | 3 | 345035 | 14-1/2 | R | 24 | 3 | 345037 |
| | | | | | 14-1/2 | R | 26 | 3 | 345038 |
| | | | | | | | | | |
| | | | | | 13-3/4 | R | 23 | 4 | **435035 |
| | | | | | 13-3/4 | R | 25 | 4 | **435036 |
| | | | | | 13-3/4 | R | 27 | 4 | **435037 |

Rubber Hub Bushing

¶ 2-1/2" of skeg must be removed for proper fit. Use thrust washer 33359. ▶ LIMITED INVENTORY ITEMS.
** Forward thrust washer A-9500-111 comes with propeller and replaces the standard OMC thrust washer, except when used on a 1991 or 1992.